

HybridClay™



The ultimate generation
clay tennis courts

Corporate profile

2019



Seeking partners in new markets.

JOIN US

We are here

Norway

Lithuania

Latvia

Denmark

Estonia

Next step is

France

Switzerland


Netherlands

Germany

Belgium

Luxembourg

and then the rest of the world.



HybridClay™



The ultimate generation of clay tennis courts

We proudly present the unique, highly innovative, eco friendly ultimate generation clay court the HybridClay™ tennis system. The HybridClay™ is classified by the ITF as an ITF 1 SLOW. The HybridClay™ system with its low cost of operating and maintenance can be installed over any surface type. Very easy to convert old hardcourts to the HybridClay™ system.

Developed over many years with feedback from top ATP level players as well as WTA players. The mastermind behind the HybridClay™ system has playing experience in tennis over 40 years and has played on nearly every surface there is.

Technical data

- | | |
|----|--|
| 01 | Install on any other surface, perfect for conversions of old hard courts, old clay courts, old Har-Tru courts, concrete also cost effective for new builds |
| 02 | Cost effective background works |
| 03 | Ready for play immediately after construction is finished |
| 04 | Exceptional waterpermeability (drainage) |
| 05 | Wind and frost proof |
| 06 | 3-4 bags of 25kg (55lbs) required for maintenance, annually, only! |
| 07 | Footholes are not an issue on the HybridClay™ |
| 08 | The HybridClay™ retains its characteristics over a long time period |
| 09 | The HybridClay™ system plays exactly like a real clay court, because it's made of real clay |
| 10 | Perfect for indoor use as well |

Test summary

ITF Two Star Court

IFT RC
19/25


Report/19

Test venue:

Kjobenhavns Boldklub


Test date:

22/05/2019




○

Coefficient of Restitution




○

Coefficient of Friction



○

Court Pace Rating



ITF criteria

COR	Low 0-0.78	Medium 0.79-0.84	High 0.85+	
COF	Low 0-0.55	Medium 0.56-0.70	High 0.71+	
CPR	Low 0-29	Medium-slow 30-34	Medium 35-39	Medium-fast 40-44 High 45+

Certificates




Recognition





Hybridclay™
for all surfaces.

01 HybridClay™ on existing LECA surface




HybridClay™

Existing LECA surface

- Levelled according to ITF CS:03/03

02 HybridClay™ on new asphalt



HybridClay™

Asphalt

- Slope according to ITF CS:03/03

Aggregate foundation

- Thickness 100-150mm
- Particle size 35/70mm
- Slope according to ITF CS:03/03


Large grit stones

- Thickness 50mm
- Particle size 16/32mm
- Slope according to ITF CS:03/03

Existing ground


03

HybridClay™ on existing traditional red/green clay court




04

HybridClay™ on new concrete foundation




05

HybridClay™ on new levelled and stabilized foundation



06

HybridClay™ on existing Hardcourt





Inter-
national
achievements.







Copenhagen

Denmark

2019



Oslo

Norway

2018



Bearum

Norway

2018



Tjoeme

Norway

2018



Moertelverksbakken 19
0580 Oslo, Norway

www.hybridclay.com

